Patent

RECEIVED
CENTRAL FAX CENTER

Customer No.: 31561 Docket No.: 10769-US-PA

NOV 0 3 2005

Application No.: 10/707,739

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Applicant

: Chen et al.

Application No.

: 10/707,739 : 2004/1/8

Filed For

: EMERGENCY LIGHTING EQUIPMENT WITH AUTOMATIC

CHARGE/DISCHARGE AND MONITORING SYSTEM

Art Unit

: 2821

Examiner

: VO, TUYET THI

### TRANSMITTAL LETTER

002-1-571-273-8300 (Via fax: 1+7 pages)

Assistant Commissioner for Patents Alexandria, VA 22314

Dear Sir,

In response to the Office Action dated October 4, 2005(Paper No.: 20050930), please find the Response to Office Action, in 7 pages.

I believe that no fee is incurred. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 10769-US-PA).

Thank you for your assistance in the subject matter. If you have any questions, please feel free to contact me.

Respectfully Submitted,

JIANQ CHYUN Intellectual Property Office

Date: 13, 295

Belinda Lee

Registration No.: 46,863

Please send future correspondence to:

7F. -1, No. 100, Roosevelt Rd.,

Sec. 2, Taipei 100, Taiwan, R.O.C.

Tel: 886-2-2369 2800 Fax: 886-2-2369 7233 / 886-2-2369 7234

E-MAIL: BELINDA@JCIPGroup.com.tw; USA@JCIPGroup.com.tw

# NOV 0 3 2005

Customer No.: 31561 Application No.: 10/707,739 Docket NO.: 10769-US-PA

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

			Examiner: VO, TUYET THI		
		•	Gro	Group Art Unit: 2821	
		APPLICATION of Chen et al.	)		
Serial No.	;	10/707,739	)	AMENDMENT	
Filed	:	January 8, 2004	) )		
For	:	EMERGENCY LIGHTING EQUIPMENT WITH AUTOMATIC CHARGE/DISCHARGE AND MONITORING SYSTEM	)		
			) At	tomey Docket: 10769-US-PA	

No fee is believed to be due. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 10769-US-PA)

## RESPONSE TO RESTRICTION REQUIREMENT

United States Patent and Trademark Office Customer Service Window Mail Stop <u>Amendment</u> Randolph Building 401 Dulany Street Alexandria, VA 22314

Dear Sir,

In response to the Restriction Requirement of October 4, 2005, Applicants submit the following amendment and remarks.